

BRIEF DESCRIPTION OF THE DRAWINGS

Description of the Preferred Embodiment

The features of the present invention will be apparent from the following description with reference to the accompanying drawings, which illustrate preferred embodiment of the invention:

FIG. 1 is a perspective view of the (garment) article used both as a jacket and tote bag in accordance with an embodiment of the present invention, seen from the front.

FIG. 2 is a perspective view of the (outerwear garment) jacket of FIG. 1 seen from the rear.

FIG. 3 is a view of the conversion from jacket to tote bag, as the (pocket) sack portion is turned inside out.

FIG. 4 is a perspective view of the (outerwear garment) jacket converted into a tote bag and ready for use.

FIG. 5 is a perspective view of the (outerwear garment) jacket in FIG. 1 in its reversible mode as seen from the front.

FIG. 6 is a perspective view of the (outerwear garment) jacket of FIG. 1 in its reversible mode as seen from the rear.

DETAILED DESCRIPTION OF THE INVENTION

Referring to FIG. 1, this view is a perspective view of (outerwear garment) jacket in its mode of operation as a casual jacket or the like. The jacket consists of Mouth 1, which is the head and neck opening of the (outerwear garment) jacket. Button hole track 2 along with button 3 is the fastening device used to keep the (outerwear garment) jacket closed when being worn as a jacket. Sleeve 4 is used to receive the arms into the (outerwear garment) jacket and trunk portion 5 is for the upper part of the body. Fig. 2 shows the rear view of the (outerwear garment) jacket. A double layer of material is sewn together to form the back piece of the trunk portion 5 of (the outerwear garment) the jacket. The top layer of material has a mouth opening identified by 20 that leads to the sack portion 30, ~~previously referred to as pocket, and~~ of which is the result of the layers of material being attached. The Straps 21 are drawstrings (that) and they are used to carry the combination ~~garment used as a jacket and tote bag~~ reversible jacket and tote bag in one, when the (said garment) jacket is being used in the tote bag function. The Straps 21 also known as the drawstrings are threaded through loophole 22. Trunk portion base 6 is the lower trunk portion of the sack portion 30. ~~Sleeves 4 are used to receive arms as identified in FIG 1.~~ FIG. 3 is a full view of the (outerwear garment) jacket as it is converted into the tote bag mode. ~~To convert the outerwear garment as jacket into a tote bag you must first turn the outerwear garment over to reveal the mouth opening identified by 20 in Fig 2. Place your hand through the opening until you reach bottom of trunk portion base 6. Grab~~

~~hold of material at base 6 and pull upward, turning the sack portion 30 inside out.~~

The article can be used as a tote bag in the following manner: First the user takes off the jacket and places his hand through the mouth opening 20 of the sack portion 30 until he reaches the seam identified by trunk portion base 6 as viewed in FIG. 2. User then must grab hold of material at trunk portion base 6 and pull upward, inverting the entire sack portion 30. The sleeves 4, trunk portion 5, button hole track 2 and button 3 along with mouth opening 1 are all (received) delivered down into the sack portion 30 through mouth opening 20. Drawstrings or straps 21, which are (threaded) positioned through loophole 22, are used to carry the tote bag and are (adjusted) adjustable. Trunk portion base 6 is the lower trunk portion of sack portion 30 also viewed in FIG. 2, FIG. 4, and FIG. 6.

The results of this maneuver are seen in FIG. 4, as this is the perspective view of the (outerwear garment) jacket converted into the tote bag function and ready for use. Again, mouth opening 20 received sleeves 4, truck portion 5, button hole track 2 and button 3 along with mouth opening 1 and are all tucked down into the sack portion 30. Sack portion 30 is a capacious sack portion and can receive several items to be carried. Mouth 1 is the head and neck opening of the jacket when being worn. Straps (Drawstrings) 21 which are (threaded) positioned through loophole 22 are used to carry tote bag and are adjusted to be used as handles as seen in FIG. 3. ~~Trunk portion base 6 is the lower portion of sack portion 30.~~

To convert the tote bag back into a jacket, simply reach inside the tote bag and pull out the sleeves 4 and the entire trunk portion 5, button hole track 2 and button

3 will unfold to reveal itself once again as (an outerwear garment) a jacket. You could then place straps (drawstrings) 21 inside the ~~mouth opening 20 identified in FIG. 2.~~ Sack portion 30 identified in FIG. 2; ~~The jacket is now ready to be worn~~ and return jacket to its reverse mode and the jacket is now ready to be worn.

Because the (outerwear garment) jacket is reversible, (FIG 4) FIG. 5 is a perspective view of the ~~outerwear garment turned inside out and worn jacket~~ in reversible mode. By simply turning the jacket inside out, you achieve a (and) new look (in) that includes, but is not limited to, interlock-stitching ~~(40) is along~~ sleeves ~~3~~ 50, which is along sleeves 4a and the entire boarder of the (outerwear garment) jacket and zipper 41 is used to close the garment. ~~Trunk portion 5a is for the upper body.~~ Fastening track 51 with slider 52 is used to close the jacket when being worn. The inside back (panel) piece of the jacket reveals mouth 20 identified in FIG. 2 ~~that leads to sack portion 30 also identified in FIG. 2.~~ Since mouth 20 is completely concealed, there is no need for a closing device to seal the opening. The inside back (panel) piece of the (outerwear garment) jacket ~~is the~~ oversize pocket 20 identified in Fig 2. also reveals loop hole 22 and the drawstrings 21 or straps which are (threaded) positioned through loop hole 22 and are used to carry the garment when the jacket is converted to tote bag function.

The present invention used as a ~~jacket in reversible mode~~ combination reversible jacket and tote bag in one more particularly relates to the view in (Fig 5) FIG. 6 which is a plain view of the rear of the jacket with interlock stitching 50 visible as the border design ~~in that Fig 5 reveals a very clean look as the pocket 20 from Fig 2 is~~ and on sleeves 4a which are used to receive arms into the garment.

In this view, ~~trunk portion base 6~~ now functions as the lower trunk portion of ~~trunk portion 60~~. Trunk portion 60 covers the rear of the upper body and presents a clean, smooth surface as mouth opening 20, drawstrings 21, loop hole 22 and sack portion 30 from FIG. 2 are now completely concealed. Using the reverse mode is what makes the jacket so unique in that the functions and articles used to convert the jacket into a tote bag are not exposed at all thus eliminating the obviousness of its multiple functions and the need for any closing devices or apparatus since mouth 20 which leads to sack portion 30 is now completely concealed.

REMARKS (Amended)

Please note the remarks previously submitted have been amended in accordance to your request and are incorporated to this reply. Remarks concerning Claims 1 and 2 now refer to Claims 4 and 5.

I do ask that in the event that these claims are not allowable I would like to have a claim drafted that is allowable.

Print Name CARLA Arlene Turner

Carla Arlene Turner

Signature 